



Chicago Pneumatic



**Workshop
Equipments**

People. Passion. Performance.

Jack Stands

CP82020 / CP82030 / CP82060



BENEFITS

- High stability
- Improved safety
- Durability
- Easy to operate

FEATURES

- Feet with extra large plate
- Self locking handle & locking pin
- Ductile iron support column & rugged steel frame construction
- Ratchet action for height adjustment
- TUV & CE certified
- Sold in pairs

MODEL	PART NUMBER	CAPACITY		WEIGHT		DIMENSIONS				POSITION IN HEIGHT						
		tons	short tons	kg	lbs	MIN. HEIGHT		MAX. HEIGHT			STROKE		WIDTH		DEPTH	
						mm	in.	mm	in.		mm	in.	mm	in.	mm	in.
CP82020	894 108 2020	2	2.2	2.5	5.5	280	11.0	425	16.7	145	5.7	195	7.7	182	7.2	10
CP82030	894 108 2030	3	3.3	3	6.6	300	11.8	455	17.9	155	6.1	250	9.8	182	7.2	11
CP82060	894 108 2060	6	6.61	5	11	400	15.7	620	24.4	220	8.7	283	11.1	258	10.2	12

Bottle Jack

CP81020 / 030 / 050 / 080 / 120 / 200 / 300



BENEFITS

- High capacity & durability
- 100% sealed & robust
- High standing & stability
- Improved safety
- Easy to disassemble & store
- Easy to use

FEATURES

- Double guidance & chromed plated steel piston made of one piece
- Automatic welded construction
- Large base plate
- Safety valve against overloading
- Pump handle in two parts to assemble/disassemble
- Handle supplied with a small hook to get from under the vehicle
- Ideal to be used in combination with the CP jack stands

MODEL	PART NUMBER	CAPACITY		WEIGHT		DIMENSIONS													
		tons	short tons	kg	lbs	A		A+B (MAX)		C (+thread)		D		E		F		G	
						mm	in.	mm	in.	mm	in.	mm	in.	mm	in.	mm	in.	mm	in.
CP81020	894 108 1020	2	2.2	2.4	5.29	180	7.1	305	12	55	2.17	360	14.2	110	4.3	20	0.8	20	0.8
CP81030	894 108 1030	3	3.3	2.9	6.39	190	7.5	325	12.8	65	2.6	390	15.4	115	4.5	70	2.7	23	0.9
CP81050	894 108 1050	5	5.51	3.8	8.38	200	7.9	340	13.4	60	2.4	400	15.7	130	5.1	75	2.9	29	1.1
CP81080	894 108 1080	8	8.81	5.8	12.8	200	7.9	320	12.6	80	3.2	400	15.7	150	5.9	90	3.5	35	1.4
CP81120	894 118 1120	12	13.2	6.7	14.8	180	7.1	275	10.8	75	2.9	350	13.8	165	6.5	105	4.1	43	1.7
CP81200	894 108 1200	20	22	9.1	20.1	185	7.3	280	11	35	1.4	315	12.4	180	7.1	120	4.7	53	2.1
CP81300	894 108 1300	30	33	18.3	40.3	285	11.2	455	17.9	-	-	455	17.9	190	7.5	140	5.5	62	2.4

Trolley Jack for Cars

CP80015 / CP80020 / CP80030



BENEFITS

- Robust & Durable
- Quick lifting
- Comfort
- Easy to use

FEATURES

- Heavy duty steel welded chassis with reinforcing rims
- One manual pump & one foot pedal for fast approach without load
- Handle with protector sponge & soft rubber pad on the saddle plate
- Turning handle for easy release of load
- Low profile construction
- Low noise & smooth to floor tiles due to oil and acid resistant plastic wheels

MODEL	PART NUMBER	CAPACITY		WEIGHT		DIMENSIONS															
		tons	short tons	kg	lbs	A		B		C		D		D2		E		F		G	
						mm	in.	mm	in.	mm	in.	mm	in.	mm	in.	mm	in.	mm	in.	mm	in.
CP80015	894 108 1015	1.5	1.62	50.5	111.3	620	24.4	80	3.1	540	21.3	920	36.2	2140	84.3	153	6.0	282	11.1	382	15.0
CP80020	894 118 1020	2	2.2	39.4	86	430	16.9	75	2.9	505	19.9	750	29.5	1960	77.2	150	5.9	270	10.6	375	14.8
CP80030	894 118 1030	3	3.3	45.0	99.2	455	17.9	95	3.7	550	21.6	779	30.7	1979	77.9	160	6.3	160	6.3	364	14.3



Air Hydraulic Jacks

CP80300 / CP80500

BENEFITS

- Fast & easy lifting / lowering
- High maneuverability & deep under vehicles
- Improved safety
- Designed for extremely high axes
- Silent & smooth to the floor

FEATURES

- Telescopic air powered jacks (air-hydraulic pump)
- Handle with control panel & joy stick for easy "remote" control
- Automatic stop-valve
- 3 extension adapters / saddle plates
- Large & soft rubber wheels
- All adapters can be properly stored for transport on each side of the jack

MODEL	PART NUMBER	CAPACITY		WEIGHT		DIMENSIONS																	
						A		B		C		D		D+E		E		F		G		P	
		tons	short tons	kg	lbs	mm	in.	mm	in.	mm	in.	mm	in.	mm	in.	mm	in.	mm	in.	mm	in.		
CP800300	894 108 0300	30	33	48	106	155	6.1	165	6.5	290	11.4	360	14.2	465	18.3	105	4.1	220/300	9/11.8	1300	51	68/20	2.8/0.79
CP800500	894 108 0500	50	55.1	63	139	155	6.1	180	7.1	230	9.1	525	20.7	660	26.0	135	5.3	220/280/370	9/11/14.6	1300	51	68/20	2.8/0.79



Workshop Presses

CP86150 / 86200 / 86300 / 86500

BENEFITS

- High stability
- Durable & sturdy
- Precision
- Easy control
- Stable
- Comfort

FEATURES

- 2 holes in each foot to fix in the floor
- Steel frame
- 2 step stroke system:
Closed: Full stroke for quick approach.
Open: Small stroke for fine tuning of the load
- Large gauge measuring short and metric tons
- Delivered with 2 V blocks
- Easy to use handle with rubber grip

MODEL	PART NUMBER	CAPACITY		WEIGHT		DIMENSIONS																	
						A		B		C		E		F		F1		F2		R		M	
		tons	short tons	kg	lbs	mm	in.	mm	in.	mm	in.	mm	in.	mm	in.	mm	in.	mm	in.	mm	in.	mm	in.
CP86150	894 1086 150	15	16.5	75.5	166	700	28	540	21	882	35	500	19.7	120	4.7	157	6.2	457	18.0	160	6.3	-	-
CP86200	894 1086 200	20	22	105	231	740	29	700	28	1772	70	510	20	132	5.2	185	7.3	1175	46.3	186	7.3	-	-
CP86300	894 1086 300	30	33	167	368	795	31	700	28	1772	70	535	21	140	5.5	151	5.9	1031	40.6	160	6.3	200	7.9
CP86500	894 1086 500	50	55.1	298	357	1030	41	800	31	1830	72	730	28.7	207	8.1	68	2.7	1048	41.3	200	7.9	245	9.6



Single Wheel Dolly

CP84010

BENEFITS

- Versatile
- Easy to operate

FEATURES

- Adjustable arms (width 29 - 62 cm / 11.4" - 24.4")
- Equipped with rollers for easy wheel positioning
- Stop rollers on the rear side
- Ergonomic handle with rounded & soft safety grip

MODEL	PART NUMBER	CAPACITY		MIN. FORK WIDTH		MAX. FORK WIDTH		WEIGHT	
		kg	lbs	mm	in.	mm	in.	kg	lbs
CP84010	894 108 4010	250	550	290	11.4	305	12	14.3	31.5



Over 110 years of experience

Since 1901 the Chicago Pneumatic (CP) name has represented reliability and attention to customer needs, with construction, maintenance and production tools and compressors designed for specific industrial applications. Today, CP has a global reach, with local distributors around the world.

Our people start every single day with a passion to research, develop, manufacture and deliver new products that are meant to meet your needs not only today, but tomorrow as well. To learn more, visit www.cp.com.



Chicago Pneumatic Sales

HO
+91 9920712020

Mumbai
+91 9820215398

Delhi
+91 9555464485

Kolkata
+91 9830044841

Bangalore
+91 9343866645

Pune
+91 9970849911

Ahmedabad
+91 9327092341

Chennai
+91 9380448484

Hyderabad
+91 8897257575

Lucknow
+91 7388988092



www.cp.com
Reach us @ 1800 200 0040